

REPUBLIC OF THE PHILIPPINES City of Iligan

BIDS AND AWARDS COMMITTEE

Website: www.iligan-.gov.ph Email: bac@iligan-.gov.phTelefax:063 2253034

INVITATION TO BID

The Iligan City Government Bids and Awards Committee (BAC), through **Trust Fund**, intend to apply the sum of **P 3,472,126.70** being the Approved Budget for the Contract (ABC) to payments under the Contract for **PROCUREMENT OF MEDICAL SUPPLIES** with Project No. **CB(B)-23-265MS (GTLMH)**. Bids received in excess of the ABC shall be automatically rejected at bid opening.

The Iligan City Government Bids and Awards Committee now invites for the supply and delivery of items below-stated:

PARTICULARS	APPROVED BUDGET FOR THE CONTRACT (ABC)	REQUIRED BID SECURITY
Procurement of Medical Supplies Nasal Oxygen Cannula, Adult; Spinal Needle G.5 x 3 ½" 25's; Suction Catheter, Fr.5, 50's; Suction Catheter, Fr.16, 50's; Suction Catheter, Fr.8, 50's, Skin Stapler, Disposable W35, 10's; Mersilk 4-0 (45cm, 19mm reversed cutting), W329,12's; Mersilk 3-0 (25cm, 16mm reversed cutting), W2511,12's; Mersilk 2-0 (45cm, 26mm reversed cutting), W2512,12's; Silk Blk. 3-0, 25mm SH, ½ circle round/taper, 12's, W57003; Silk Blk. 4-0, 30", 75cm, 20mm SH-1, ½ circle round/taper, 12's, W58603; Silk Blk. 2-0, 30", 75cm, 25mm SH, ½ circle round/taper, 12's, W32703; Vicryl 1 CT (90cm, 40mm, ½ c, round) VCP359H, 36's; Vicryl 2-0 + CT (36", 90mm, VCP345,taper),36's; Vicryl 3-0 (SH +, 75mm, 26mm, round) W9120, 12's; Vicryl Rapide 2-0 (120cm, 36mm V-34, ½ c taper, W9448, 12's; Vicryl 3-0 (reverse cutting, 26mm, 3/8 c) W9526T, 24's; clean gloves, 100's size: large (medical grade); clean gloves, 100's size: medium (medical grade); surgical gloves 6 ½ (medical grade), 50's; surgical gloves 7.0 (medical grade), 50's; surgical gloves 7.5 (medical grade), 50's; plaster transpore 1", 12's; surgical mask (medical grade) 3 ply loop face mask; melt blown cloth & non-woven material; high density filter layer 0.88 oz; quad fold design; urine bag; nasal oxygen cannula, pedia; oxygen mask with tube (adult) – H; oxygen mask with tube (pedia) – H; syringe 1cc, disposable 100's; syringe 3cc, disposable 100's; syringe 3cc, disposable 100's; syringe 5cc, disposable, 100's; inospital gauze, 38x100, 24x28 mesh; leucoplast plaster 4's, size:4"; foley balloon catheter (FBC), Fr.14, 10's; foley balloon catheter (FBC), Fr.16, 10's; digital thermometer (axilla); colostomy bag adult, 57mm; colostomy pouch, 70mm, 10's; resuscitator-adult (disposable); resuscitator-pedia (disposable); syringe, insulin 316/6mm, arm sling, adult; arm sling, pedia; EP apps (sphygmomanometer and stethoscope); oxygen regulator; penrose drain 18 x ½"; penrose d	P 3,472,126.70	2% of the ABC if Cash, Manager's Check; Bank Draft/Guarantee, Irrevocable letter of credit confirmed or authenticated by a Universal or Commercial Bank; and 5% of the ABC if Surety Bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security

Delivery period is within ten (10) calendar days from receipt of Notice to Proceed. Bidders should have completed, within two (2) year from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instruction to Bidders.

Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino Citizens, pursuant to RA 5183 and subject to Commonwealth Act 138.

Interested bidders may obtain further information from Iligan City government and inspect the Bidding Documents during office hours from 8:00 a.m. – 12:00 p.m. and 1:00 p.m. – 5:00 p.m. at the Office of the Bids and Awards Committee, 2nd Floor City Hall Main Bldg., Buhanginan Hills, Pala-o, Iligan City.

The complete schedule of activities is listed, as follows:

Activities	Schedule
Pre-Procurement	January 9, 2024 - 9:00 a.m. at Casimero P. Cabigon Hall, 2 nd Floor City Hall Main Bldg., Buhanginan Hills, Pala-o, Iligan City
2. Issuance of Bid Documents	January 16, 2024 – February 6, 2024 – 8:00 a.m. at Casimero P. Cabigon Hall, 2 nd Floor City Hall Main Bldg., Buhanginan Hills, Palao, Iligan City
Pre-Bid Conference	January 23, 2024 – 9:00 a.m. at Casimero P. Cabigon Hall, 2 nd Floor City Hall Main Bldg., Buhanginan Hills, Pala-o, Iligan City
Submission of Bids	February 6, 2024 – 9:00 a.m. at Casimero P. Cabigon Hall, 2 nd Floor City Hall Main Bldg., Buhanginan Hills, Pala-o, Iligan City
5. Opening of Bids	February 6, 2024 – 9:00 a.m. at Casimero P. Cabigon Hall, 2 nd Floor City Hall Main Bldg., Buhanginan Hills, Pala-o, Iligan City

A complete set of Bidding Documents will be available to prospective bidders upon payment of a non-refundable amount of P 5,000.00 to the Iligan City Government Cashier, at the BAC Office, 2nd Floor, City Hall Main Building, Buhanginan Hills, Pala-o, Iligan City.

The Iligan City Government reserves the right to accept or reject any bid, to annul the bidding process, and to reject all bids at any time prior to contract award, without thereby incurring any liability to the affected bidder or bidders.

Furthermore, the City Government of Iligan assumes no responsibility whatsoever to compensate or indemnify bidders for any expense or loss incurred in the preparation and submission of the eligibility statements and bids.

Approved by:

DARWIN J. MANUBAG, PhD

BAC Chairman

Date of Advertisement/Posting: January 16, 2024
Place of Posting/Advertisement: City Hall/IBJT Bulletin Boards, Iligan Official Website, Phil-GEPS ITB No. 23-265MS_GTLMH